

Hessequa Municipality



**MUNICIPAL SUPPLY CHAIN MANAGEMENT
INVITATION TO SUBMIT CLOSED QUOTATION
UPGRADING WORKS OF ABLUTION BLOCKS AT ELLENSRUST RESORT –
STILL BAY**

RQ Nr: 62013

13 November 2018

Dear Sir/Madam

Please provide a written quotation for the supply of goods and / or services as detailed in the list attached.

The quotation must be submitted, on the official letterhead of your business, by the one of the following means for the attention of Ms Carisha Prins

- Email carisha@hessequa.gov.za
- Per Hand at the Hessequa Municipality SCM offices, Post Office Building, 19 Main Road, Riversdale, 6670

**QUOTATIONS MUST REACH THE MUNICIPALITY BEFORE OR AT 12:00 ON MONDAY
26 NOVEMBER 2018 NO LATE QUOTATIONS WILL BE CONSIDERED**

The following conditions will apply to all quotations:

- Prices quoted must be firm, inclusive of VAT and where applicable for delivery to the address indicated below. The total amount of the quotation must also be clearly indicated;
- Please refrain from quoting on goods that are out of stock or not usually stocked by your company, or indicate on your quotation that this is the case and what the delivery period on those items will be;
- If your quotation is accepted, goods and/or services must be supplied and delivered to the below mentioned address, accompanied by your delivery note and invoice (if possible);
- Quotations must to be valid for a period of 30 days;
- The delivery period must be indicated.
- The closed quotation is subjected to the General Conditions of Contract as contained in MFMA Circular 25 of 2005 and the conditions contained in Hessequa Municipal SCM POS section 3.2.4.

- If a quotation is submitted for the goods; services or works requested, you the supplier accepts the conditions of this quotation and that the goods; services and works will be supplied or constructed as per this quotation.
- A formal order will be issued to the successful supplier that will be a written instruction to the supplier to supply; deliver or construct as per specifications contained in this quotation.
- If a quotation are called for a specific number of items, Council reserves the right to change the number of such items to be higher or lower. The successful quotationer will then be given an opportunity to evaluate the new scenario and inform the Municipality if it is acceptable. If the successful quotationer does not accept the new scenario, it will be offered to the second-placed quotationer. The process will be continued to the Municipality's satisfaction.

If your quotation does not comply with above stated conditions, your quotation will not be considered.

If you have not received a response from the Municipality within thirty (30) days after the closing date of the quotation, please regard your quotation as unsuccessful.

Should you be interested in wanting to know to who the successful quotationer was, you may consult our website at www.hessequa.gov.za where monthly reports on awards will be published.

Quotations will be evaluated and adjudicated in terms of the Preferential Procurement Policy Framework Act (Act 5 of 2000), The Preferential Procurement Regulations,2017 and the Hessequa Municipality's Supply Chain Management Policy, for which 80 points will be allocated in respect of price and 20 points in respect of B-BBEE contribution.

It is estimated that prospective suppliers should have a CIDB contractor grading of 1GB higher

The Municipality reserves the right to withdraw any invitation for closed quotations and/or to re advertise or to reject any quotation or to accept a part of it. The Municipality does not bind itself to accepting the lowest quotation.

Any Prospective Service Provider must make sure that they are registered and are valid on the Database of Hessequa Municipality and/or on the Centralised Supplier Database (CSD) and that they are in possession of a Valid Tax Clearance Certificate.

Please address any technical enquiries regarding the specifications to Mr Ken van Eck
Tel: 028 713 7851 any Supply Chain Management related enquiries to Ms Carisha Prins at Tel: 028 713 7974.

A compulsory clarification meeting will be held at the following:

<u>PLACE</u>	<u>TIME</u>	<u>DATE</u>
ELLENSRUST RESORT – STILL BAY	11:00 AM	MONDAY 19 NOVEMBER 2018

The stipulated minimum threshold percentages for local production and content for valves is provided below:

Type of Valve	Pressure type	Size	% Local Content
Pressure Reducing Valve	Low pressure	Full range	70%
Taps	Low pressure	Full range	70%

- (i) The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on 14 November 2018; and
- (ii) Only the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 must be used to calculate local content

SABS approved technical specification number SATS 1286:2011 and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates (annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)) are accessible to all potential service providers on the dti's official website [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost

Important note: a valid original or certified B-BBEE certificate must be submitted with the documentation. (MBD 6.1 Preference Points Claim form need to be completed to claim points. NB- Only points claims will be awarded. The MBD 6.1 is available from the municipal website at www.hessequa.gov.za under the tab SCM INFO AND REPORTS or at the Supply Chain Management offices at Post Office Building, 19 Main Road, Riversdale.)

MBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017 and the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) makes provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produces or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

- x is the imported content in Rand
y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as required in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. **The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:**

Description of services, works or goods Stipulated minimum threshold

<u>Type of Valve</u>	<u>Pressure type</u>	<u>Size</u>	<u>% Local Content</u>
Pressure Reducing Valve	Low pressure	Full range	70%
Taps	Low pressure	Full range	70%

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by the SARB for the specific currency at 12:00 on 14 November 2018.

The relevant rates of exchange information is accessible on www.reservebank.co.za.

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the Accounting Officer / Accounting Authority provide directives in this regard.

LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

VALVES

IN RESPECT OF BID NO. 62013

ISSUED BY: (Procurement Authority / Name of Institution): **Hessequa Municipality**

NB

1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.

2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on <http://www.thedti.gov.za/industrial-development/ip.jsp>. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),
do hereby declare, in my capacity as
of(name of bidder
entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and

(c)The local content percentages (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C;

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R

Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

(d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: _____

DATE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

UPGRADING WORKS AT ABLUTION BLOCKS ELLENSRUST

Hessequa Municipality requires the services of a contractor to do the following work at above-mentioned resort. During the site meeting, the ablutions and respectively also the work to be done, will be explicitly pointed out. The work must be completed as soon as possible after approval is given to the successful bidder, and must be completed on/before **30 November 2018.**

SPECIFICATIONS:

1. BUILDING OF NEW STRUCTURE WALLS AROUND DIESEL TANKS - 2 x structure walls at ablutions B and D Ellensrust

- 1.1 Build new structure walls with single brick and mortar and smooth stucco around the base of the tanks indicated above.
- 1.2 The walls must be built in a square at a height of 900mm, length to be 3 x 2.3 metres and built on a solid concrete foundation of 500mm wide x 250mm deep.
- 1.3 A solid concrete floor of 100mm thick must be built inside the structure on which the stand must be placed. The floor must be at level with the ground as to ensure that the walls will be a minimum length of 900mm. In order to execute this step, the tank and stand must be carefully removed and be uncoupled/recoupled and placed back in the precise manner as previously. Make sure that all fittings is in working order and sealed.
- 1.4 The structure walls must be plastered off and painted with a sealer primer and at least 2 layers of the same colour paint, as the colour of the ablution block.

2. ABLUTION B ELLENSRUST, WOMEN'S SIDE

- 2.1 Completely remove the current bath at the women's side. Make sure to close off all water and outlet couplings.
- 2.2 Build a new structure wall with single brick and mortar and smooth stucco for the bath to be paced upon.
- 2.3 Supply and built in a new straight Perspex white bath with handles, 1700 x 700mm. The bath must consist of a high gloss surface which will not stain, rust or corrode. The bottom of the bath must be strengthened and reinforced by a 3mm super-wood board, and the bath must have a minimum 5 year warranty against any manufacturing defect.
- 2.4 Supply and install new SABS approved guaranteed and quality chrome taps, (guaranteed for at least 5 years) for hot and cold water. Also supply and install all water and drain pipes and connections/pipes that will be needed. Make sure that all connections are sealed and no leaks are present.
- 2.5 *Take special care to supply and install new PVC P- trap before bath is built in to ensure a free flow of water and no leakages.*
- 2.6 In the middle of bath and on the wall, supply and install a stainless steel soap and shampoo holder of at least 5mm thickness, to be easily reachable. **Samples of at least 3 holders must be presented to the Camps Coordinator or his delegate for final approval before purchasing and fitting.**
- 2.7 Neatly tile all areas on the wall and around the bath as well as in front of the bath with similar tiles currently in use. Grouting to be white.

2.8 Do the correct preparation, chipping and priming of all tile surfaces. All tiles must be bonded to the surface with a quality fast drying super-bond adhesive. It is very important that all instructions from the Supplier of the material must be precisely adhered to.

2.9 Neatly seal the edge of the bath against the wall and tiles with white silicon sealer.

3. ABLUTION B ELLENSRUST, MEN'S SIDE

3.1 Completely remove the current bath at the men's side. Make sure to close off all water and outlet couplings.

3.2 Build a new floor with brick and concrete for a shower to be installed, 1 x 1.2 metre x 120mm thick in the corner of the room. *Take special care to supply and install new PVC P- trap to ensure a free flow of water and no leakages.*

3.3 Remove all previous tiles on wall area.

3.4 Neatly tile all areas inside the room and use specified 5mm spacers between the tiles. All shower floor Tiles to be 10 x 10 cm of A grade quality and colour to be cream earth or similar. **A sample of the tiles to be used must be presented by the successful bidder/Contractor to the Camps Coordinator or his delegate for approval before any tiles are purchased and fitted. Grouting to be light grey.** All wall Tiles inside shower and room to be 20 x 20 cm of A grade quality and colour to be white. **Round off all tile corners and edges white round pvc strip.**

3.5 Tilework's will include **all floors definitely non-slip**, walls matt finish for easy cleaning. All walls inside showers and rest of the room to be tiled up to the height of wall as will be indicated during the site meeting.

3.6 Do the correct preparation, chipping and priming of all tile surfaces. All tiles must be bonded to the surface with a quality fast drying super-bond adhesive. It is very important that all instructions from the Supplier of the material must be precisely adhered to.

3.7 In the corner of the shower, supply and install a stainless steel soap and shampoo holder on a normal human height and to be easily reachable of at least 5mm thickness, and measurements 29 x 27 x 20mm. **Samples of at least 3 holders must be presented to the Camps Coordinator or his delegate for final approval before purchasing and fitting.**

3.8 Supply and install new SABS approved guaranteed and quality chrome taps, shower rose with swivel shower head (guaranteed for at least 5 years) for hot and cold water at shower. Also supply and install all drain pipes and also all warm and cold tap parts and connections/pipes that will be needed. Make sure that all connections are sealed and no leaks are present. **Make sure all taps are in a precise horizontal line.**

3.9 Supply and install solid safety glass side panel and opening door with white frames on the floor and wall of the shower.

3.10 Carefully remove the 2 broken toilet pots and replace the pots with new porcelain pots together with all parts necessary. Also supply new white plastic seat covers and lids of excellent quality for hospitality and high traffic use. The lid must be able to open at an angle of 180 degree. Also supply and install all drain pipes and also all water and tap parts and connections that will be needed. Make sure that all connections are sealed and no leaks are Present. The current cistern and bucket must be used.

- 3.11 At the urinals, open the stop tap in the wall and discard it. Connect new 15 mm copper pipes from the main line at the stop tap to each urinal with chrome urinal press valves at each urinal. Pipes must be bedded inside the wall and covered by cement.
- 3.12 Neatly tile all areas on the wall and around the urinal where pipes and valves were installed with similar tiles currently in use. Grouting to be white.
- 3.13 Do the correct preparation, chipping and priming of all tile surfaces. All tiles must be bonded to the surface with a quality fast drying super-bond adhesive. It is very important that all instructions from the Supplier of the material must be precisely adhered to.

4. ABLUTION BLOCK E, WOMEN'S SIDE

- 4.1 Carefully remove the broken toilet pot and replace it with a new porcelain pot together with all parts necessary. Also supply new white plastic seat cover and lid of excellent quality for hospitality and high traffic use. The lid must be able to open at an angle of 180 degree.
- 4.2 Also supply and install all drain pipes and also all water and tap parts and connections that will be needed. Make sure that all connections are sealed and no leaks are present. The current cistern and bucket must be used.

General conditions applicable for this work:

- 1. The quote must indicate the total price (VAT INCL).
- 2. All work must be completed before or on the date indicated in the above-mentioned specs. A penalty fee of 10% of the original starting price may be enforced on a daily basis (per day) if the work is not completed at the aforementioned date.
- 3. The Successful Contractor is solely responsible to provide all material, building parts, labour, workman tools, equipment, and safety-accessories to do and complete the works.
- 4. All current and previous material that were removed during this works, will still remain the property of the Municipality and may not be removed from the site, except where it is ordered so by the Camps Coordinator or his delegate.
- 5. The Successful Contractor is solely responsible at his/her own account to ensure that he/she and his/her personnel complies with the relevant health and safety act's and requirements, and will also ensure the obtaining and handing over of all necessary required certificates including that of all sub-contracting works to the Municipality directly after completion of all work.
- 6. The Contractor must **take all the relevant measures him-/herself** that is necessary/relevant to do and complete the work.
- 7. A payment will be made when 50% of the work has been completed and the second and final payment will be made after the work has been 100% completed to the satisfaction of the Municipality. No other payments will be made.
- 8. The site must be neatly and thoroughly cleaned after every day's work. All other building refuse and unwanted material must be removed and dumped at the Melkhoutfontein dumping site on a daily basis.
- 9. The work area must be cordoned off with danger tape, and notices or safety boards must be placed at the site to warn, and ensure the safety of the public.

10. The quality of all work and material must be of a high standard and a written guarantee of 5 years for workmanship and relevant material must be given by the Contractor to the Municipality, together with the final invoice.
11. The Contractor must submit the names and numbers of at least 3 references from clients with a description of similar works that were performed and completed in the previous 5 years. This information must be indicated in/on the quote for this work.
12. No more than 30% of the total value of this tender may be sub-contracted by the successful Contractor. In cases where sub-contractors are appointed, full information of the sub-contractors together with at least 3 different references for each sub-contractor with a description of similar works that were performed and completed in the previous 5 years must be supplied. This information must also be included and indicated in/on the quote for this work.
13. The Contractor will provide own storage/cover for all material and equipment.
14. Any damages whatsoever (including unforeseen damages) will be for the account of the Contractor.

Pricing Schedule:

DESCRIPTION ABLUTION	LABOUR (INCL) R	MATERIAL (INCL) R	TOTAL COST (INCL VAT) R
BUILDING OF NEW STRUCTURE WALLS AROUND DIESEL TANKS			
ABLUTION B ELLENSRUST, WOMEN'S SIDE			
ABLUTION B ELLENSRUST, MEN'S SIDE			
ABLUTION BLOCK E, WOMEN'S SIDE			
TOTAL Vat Incl			

PLEASE INDICATE COMPLETION PERIOD: